	L #	Hits	Search Text	DBs	Time Stamp
1	L1	2	("6936299").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 13:56
2	L2	13	(("6541964") or ("5793206") or ("6534975") or ("20010009368") or ("6051972") or ("5793206") or ("5140264") or ("5028100")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 14:11
3	L3	9416	((427/8,9,10,142,404,405,419.2,524) or (204/192.15,192.6)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:04
4	L4	51393	Eddy adj current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:05
5	L5	142	L4 with (thick$7 depth height microns micrometer ".mu." ".mu.m") with (oxide oxidat$5 oxidiz$7 corrod$5 corrosion sulfidiz$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:10
6	L6	316	L4 same ((thick$7 depth height microns micrometer ".mu." ".mu.m") with (oxide oxidat$5 oxidiz$7 corrod$5 corrosion sulfidiz$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:09
7	L7	3517	L4 with (turbine rotor blade vane superalloy carbide near2 alloy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:11

from inventor Name Search

Cited in copending cases

L15
L16

10/661,190

5/2/2007, EAST Version: 2.1.0.14

2

	L #	Hits	Search Text	DBs	Time Stamp
8	L8	5223	L4 same (turbine rotor blade vane superalloy carbide near2 alloy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:12
9	L9	3 ✓	L5 same L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:13
10	L10	12 ✓	(L5 and L7) not L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:12
11	L11	1 ✓	(L5 same L8) not (L9 or L10)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:14
12	L12	4 ✓	(L6 same L7) not (L9 or L10 or L11)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:15
13	L13	5 ✓	(L6 same L8) not (L9 or L10 or L11 or L12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:15
14	L14	10 ✓	(L6 and L8) not (L9 or L10 or L11 or L12 or L13)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 15:17

1st ↓

2nd ↓

Contains this case's Pre-pub. (handwritten, row 10)

Includes ⊙china priority doc (handwritten, row 14)

3

	L #	Hits	Search Text	DBs	Time Stamp
15	L15	6 ✓	((L5 or L7) and L3) not (L9 or L10 or L11 or L12 or L13 or L14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:26
16	L16	2 ✓	((L6 or L8) and L3) not (L9 or L10 or L11 or L12 or L13 or L14 or L15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:40
17	L18	6 ✓	(L5 and (turbine rotor blade vane superalloy carbide near2 alloy)) not (L9 or L10 or L11 or L12 or L13 or L14 or L15 or L16)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:43
18	L19	24	(L6 and (turbine rotor blade vane superalloy carbide near2 alloy)) not (L9 or L10 or L11 or L12 or L13 or L14 or L15 or L16 or L18)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2007/05/02 16:43

modules (#23) EPO + Dec priorit Dec

L20 ((6) ✓ (L6 same (cast casting mold molding)) not (or L19)